



1

SEQUENCE LISTING

RECEIVED
JAN 30 2004
OFFICE OF PETITIONS

<110> Gorodetsky, Raphael
Marx, Gerard

<120> Novel Haptotactic Peptides

<130> 25129

<160> 12

<170> PatentIn version 3.1

<210> 1
<211> 21
<212> PRT
<213> Artificial

<220>
<223> Equivalent to the c-terminus of fibrinogen beta-chain

<400> 1

Lys Gly Ser Trp Tyr Ser Met Arg Lys Met Ser Met Lys Ile Arg Pro
1 5 10 15

Phe Phe Pro Gln Gln
20

<210> 2
<211> 20
<212> PRT
<213> Artificial

<220>
<223> Equivalent to an internal sequence of fibrinogen gamma-chain

<400> 2

Lys Thr Arg Trp Tyr Ser Met Lys Lys Thr Thr Met Lys Ile Ile Pro
1 5 10 15

Phe Asn Arg Leu
20

<210> 3
<211> 20
<212> PRT
<213> Artificial

<220>
<223> Equivalent to the c-terminus of fibrinogen alpha-E-chain

<400> 3

Arg Gly Ala Asp Tyr Ser Leu Arg Ala Val Arg Met Lys Ile Arg Pro
1 5 10 15

Leu Val Thr Gln
20

<210> 4
<211> 19
<212> PRT
<213> Artificial

<220>

<223> Equivalent to the c-terminus of fibrinogen alpha-chain

<400> 4

Glu Ala Asp His Glu Gly Thr His Ser Thr Lys Arg Gly His Ala Lys
1 5 10 15

Ser Arg Pro

<210> 5

<211> 20

<212> PRT

<213> Artificial

<220>

<223> Equivalent to the c-terminus of fibrinogen gamma-chain

<400> 5

Leu Thr Ile Gly Glu Gly Gln Gln His His Leu Gly Gly Ala Lys Gln
1 5 10 15

Ala Gly Asp Val
20

<210> 6

<211> 29

<212> PRT

<213> Artificial

<220>

<223> Fibrinogen C-beta consensus sequence

<220>

<221> MISC_FEATURE

<222> (1)..(2)

<223> Xaa = Hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn, Gln, Arg, Ser, Thr

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa = Hydrophobic amino acid selected from Ala, Phe, Ile, Leu, Met, Pro, Val, Trp, Tyr

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa = Hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn, Gln, Arg, Ser, Thr

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa = Hydrophobic amino acid selected from Ala, Phe, Ile, Leu, Met, Pro, Val, Trp, Tyr

<220>

<221> MISC_FEATURE

<222> (10)..(10)

<223> Xaa = Hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn, Gln, Arg, Ser, Thr

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa = Ala or Ser

<220>

<221> MISC_FEATURE

<222> (13)..(13)

<223> Xaa = Any amino acid

<220>

<221> MISC_FEATURE

<222> (16)..(16)

<223> Xaa = Hydrophobic amino acid selected from Ala, Phe, Ile, Leu, Met, Pro, Val, Trp, Tyr

<220>

<221> MISC_FEATURE

<222> (18)..(18)

<223> Xaa = Any amino acid

<220>

<221> MISC_FEATURE

<222> (19)..(19)

<223> Xaa = Hydrophobic amino acid selected from Ala, Phe, Ile, Leu, Met, Pro, Val, Trp, Tyr

<220>

<221> MISC_FEATURE

<222> (20)..(20)

<223> Xaa = Any amino acid

<220>

<221> MISC_FEATURE

<222> (26)..(28)

<223> Xaa = Any amino acid

<400> 6

Xaa Xaa Gly Val Val Trp Xaa Xaa Xaa Xaa Gly Xaa Xaa Tyr Ser Xaa
1 5 10 15

Arg Xaa Xaa Xaa Met Lys Ile Arg Pro Xaa Xaa Xaa Gln
20 25

<210> 7

<211> 65

<212> DNA

<213> Artificial

<220>

<223> Encodig haptotactic peptide C-beta

<400> 7

aaggggtcat ggtatcaatg aggaagatga gtatgaagat caggcccttc ttcccacagc 60

aatag 65

<210> 8
 <211> 63
 <212> DNA
 <213> Artificial

<220>
 <223> Encoding haptotactic peptide C-alpha-E

<400> 8
 agaggggcag attattccct cagggtgtt cgcataaaaa ttaggccct tgtgacccaa 60
 tag 63

<210> 9
 <211> 63
 <212> DNA
 <213> Artificial

<220>
 <223> Encoding haptotactic peptide Pre-C-gamma

<400> 9
 aaaacccggt ggtattccat gaagaaaacc actatgaaga taatccatt caacagactc 60
 aca 63

<210> 10
 <211> 15
 <212> PRT
 <213> Artificial

<220>
 <223> Haptotactic consensus sequence

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa is absent or hydrophobic amino acid selected from Ala, Phe,
 Ile, Leu, Met, Pro, Val, Trp, Tyr.

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa = Any amino acid or absent

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa is absent or hydrophobic amino acid selected from Ala, Phe,
 Ile, Leu, Met, Pro, Val, Trp, Tyr

<220>
 <221> MISC_FEATURE
 <222> (12)..(14)
 <223> Xaa = Any amino acid or absent

<400> 10
 Tyr Ser Xaa Arg Xaa Xaa Met Lys Ile Arg Pro Xaa Xaa Xaa Gln
 1 5 10 15

<210> 11
 <211> 20

<212> PRT
 <213> Artificial

<220>
 <223> Haptotactic consensus sequence

<220>
 <221> MISC_FEATURE
 <222> (2)..(3)
 <223> Xaa = Any amino acid or absent

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa is absent or hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn, Gln, Arg, Ser, Thr

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa = Any amino acid or absent

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa is absent or hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn, Gln, Arg, Ser, Thr

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Xaa = Any amino acid or absent

<220>
 <221> MISC_FEATURE
 <222> (18)..(20)
 <223> Xaa = Any amino acid or absent

<400> 11

Lys Xaa Xaa Trp Tyr Ser Met Xaa Lys Xaa Xaa Met Lys Ile Xaa Pro
 1 5 10 15

Phe Xaa Xaa Xaa
 20

<210> 12
 <211> 30
 <212> PRT
 <213> Artificial

<220>
 <223> Fibrinogen C beta homology sequence

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa = Hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn, Gln, Arg, Ser, Thr

<220>
 <221> MISC_FEATURE

<222> (4)..(5)
 <223> Xaa = Hydrophobic amino acid selected from Ala, Phe, Ile, Leu, Met,
 Pro, Val, Trp, Tyr

<220>
 <221> MISC_FEATURE
 <222> (7)..(8)
 <223> Xaa = Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (11)..(12)
 <223> Xaa = Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> Xaa = Hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn,
 Gln, Arg, Ser, Thr

<220>
 <221> MISC_FEATURE
 <222> (19)..(19)
 <223> Xaa = Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (20)..(20)
 <223> Xaa = Hydrophilic amino acid selected from Asp, Glu, His, Lys, Asn,
 Gln, Arg, Ser, Thr

<220>
 <221> MISC_FEATURE
 <222> (24)..(24)
 <223> Xaa = Any amino acid

<220>
 <221> MISC_FEATURE
 <222> (27)..(30)
 <223> Xaa = Any amino acid

<400> 12

Asp Xaa Gly Xaa Xaa Trp Xaa Xaa Trp Lys Xaa Xaa Trp Tyr Ser Met
 1 5 10 15

Xaa Lys Xaa Xaa Met Lys Ile Xaa Pro Phe Xaa Xaa Xaa Xaa
 20 25 30